

# Suction/Irrigation



## StrykeFlow2 Suction Irrigation

- » Direct spike into bag for easy set-up and disposal
- » Handpiece designed for surgeon comfort and ambidextrous grip
- » Pop-top battery removal
- » Maximum flow rate of 4 L/min

### StrykeFlow2 Pump Suction/Irrigation

- 250-070-500 StrykeFlow2 Pump and Handpiece Assembly with 10ft of Tubing (6/box)
- 250-070-520 StrykeFlow2 with Disposable Tip (6/box)

### AHTO Pump Suction/Irrigation



- 250-070-601 AHTO Irrigation Pump
- 250-070-600 AHTO Suction/Irrigation Tube Set (6/box)
- 250-070-620 AHTO Suction/Irrigation Tube Set with Disposable Tip (6/box)
- 250-070-640 AHTO Suction/Irrigation Dual Spike Tube Set (5/box)
- 250-070-602 AHTO Console Replacement Battery

### StrykeFlow PS Pump Suction/Irrigation



- 250-070-540 StrykeFlow PS, Dual Spike, with 10ft of Tubing (6/box)
- 250-070-530 StrykeFlow PS Single Spike Tubing (6/box)

\*This does not replace the operative technique, please refer to the operative technique for all procedures. \*\*Not drawn to scale.

# Tip Accessoires

## Tip Accessories

### Reusable Tip Attachments

<b>250-070-471</b>	2.0 mm x 32 cm Regular Tip with 1 Hole, Metal Finish
<b>250-070-472</b>	2.0 mm x 32 cm Regular Tip with 2 Holes, Metal Finish
<b>250-070-473</b>	2.0 mm x 34 cm Regular Tip with No Holes, Metal Finish
<b>250-070-490</b>	3.0 mm x 32 cm Regular Tip, Vented, Metal Finish
<b>250-070-491</b>	3.0 mm x 32 cm Regular Tip, Non-Vented, Metal Finish
<b>250-070-411</b>	5.0 mm x 24 cm Regular Tip, Vented, Metal Finish
<b>250-070-402</b>	5.0 mm x 28 cm Regular Tip, Vented, Metal Finish
<b>250-070-403</b>	5.0 mm x 32 cm Regular Tip, Vented, Metal Finish
<b>250-070-406</b>	5.0 mm x 32 cm Pool Suction Tip, Metal Finish
<b>250-070-407</b>	5.0 mm x 32 cm Hydrodissection Tip, Metal Finish
<b>250-070-409</b>	5.0 mm x 32 cm Regular Tip, Non-Vented, Metal Finish
<b>250-070-420</b>	5.0 mm x 32 cm Non-Conductive Tip
<b>250-070-437</b>	5.0 mm x 32 cm Aspiration Needle Tip
<b>250-070-408</b>	5.0 mm x 45 cm Regular Tip, Vented, Metal Finish
<b>250-070-492</b>	10.0 mm x 32 cm Stone Scooper
<b>250-070-404</b>	10.0 mm x 32 cm Regular Tip, Vented, Metal Finish
<b>250-070-405</b>	10.0 mm x 32 cm Pool Suction Tip, Metal Finish

### Non-Reflective Tip Attachments

<b>250-070-482</b>	5.0 mm x 28 cm Regular Tip, Vented, Non-Reflective Finish
<b>250-070-483</b>	5.0 mm x 32 cm Regular Tip, Vented, Non-Reflective Finish
<b>250-070-486</b>	5.0 mm x 32 cm Pool Suction Tip, Non-Reflective Finish
<b>250-070-487</b>	5.0 mm x 32 cm Hydrodissection Tip, Non-Reflective Finish
<b>250-070-489</b>	5.0 mm x 32 cm Regular Tip with No Holes, Non-Reflective Finish
<b>250-070-488</b>	5.0 mm x 45 cm Regular Tip, Vented, Non-Reflective Finish
<b>250-070-484</b>	10.0 mm x 32 cm Regular Tip, Vented, Non-Reflective Finish
<b>250-070-485</b>	10.0 mm x 32 cm Pool Suction Tip, Non-Reflective Finish

\*This does not replace the operative technique, please refer to the operative technique for all procedures. \*\*Not drawn to scale.

## Resposable & Disposable Tips

### Resposable Tip Attachments (20 autoclave cycles)

#### StrykeProbe Electrosurgical Suction Tips



- 250-070-441** 5.0 mm x 32 cm StrykeProbe Spatula Tip
- 250-070-442** 5.0 mm x 32 cm StrykeProbe J-Tip
- 250-070-443** 5.0 mm x 32 cm StrykeProbe L-Tip
- 250-070-444** 5.0 mm x 32 cm StrykeProbe Ball Tip
- 250-070-445** 5.0 mm x 32 cm StrykeProbe Needle Tip
- 250-070-446** 5.0 mm x 32 cm StrykeProbe Spoon Tip
- 250-070-460** 5.0 mm x 32 cm StrykeProbe Outer Sheath Replacement
- 250-070-451** 5.0 mm x 45 cm StrykeProbe Spatula Tip
- 250-070-452** 5.0 mm x 45 cm StrykeProbe J-Tip
- 250-070-453** 5.0 mm x 45 cm StrykeProbe L-Tip
- 250-070-455** 5.0 mm x 45 cm StrykeProbe Needle Tip
- 250-070-450** 5.0 mm x 45 cm StrykeProbe Outer Sheath Replacement

### Disposable Tip Attachments

- 250-070-505** 5.0 mm x 32 cm, Regular Tip, Vented, Metal Finish (6/box)

### Disposable Electrosurgical StrykeProbe (Quantity: box of 6)



- 250-070-550** 5.0 mm x 32 cm, L-Tip
- 250-070-551** 5.0 mm x 32 cm, Spatula Tip
- 250-070-552** 5.0 mm x 32 cm, J-Tip
- 250-070-553** 5.0 mm x 45 cm, L-Tip
- 250-070-554** 5.0 mm x 45 cm, Spatula Tip
- 250-070-555** 5.0 mm x 45 cm, J-Tip

\*This does not replace the operative technique, please refer to the operative technique for all procedures. \*\*Not drawn to scale.

## Suction/Irrigation Accessories

<b>Accessories Suction/Irrigation</b>	<p><b>250-070-419</b> Dual Irrigation Adapter (10/box)</p> <p><b>250-070-401</b> Y Tube</p> <p><b>250-070-435</b> Adapter for Davol Nezhat/Dorsey Suction/Irrigation Probes</p> <p><b>250-070-510</b> Suction Irrigator Tips Steam Sterilization Tray</p>
<b>Gas Connectors for StrykeFlow PS</b>	<p><b>250-090-010</b> Outlet Connector OA0508—OHIO/Air</p> <p><b>250-090-011</b> Outlet Connector OO0509—OHIO/Oxygen</p> <p><b>250-090-020</b> Outlet Connector DA0568—DISS/Air</p> <p><b>250-090-021</b> Outlet Connector DO0569—DISS/Oxygen</p> <p><b>250-090-022</b> Outlet Connector DN0610—DISS/Nitrogen</p> <p><b>250-090-030</b> Outlet Connector CO0546—Chemetron/Oxygen</p> <p><b>250-090-031</b> Outlet Connector CA0510—Chemetron/Air</p> <p><b>250-090-040</b> Outlet Connector PO0533—Puritan/Oxygen</p> <p><b>250-090-041</b> Outlet Connector PA0547—Puritan/Air</p> <p><b>250-090-050</b> Outlet Connector XO0575—Oxequip/Oxygen</p> <p><b>250-090-051</b> Outlet Connector XA0572—Oxequip/Air</p> <p><b>250-090-060</b> Outlet Connector SA0570—Schrader/Air</p> <p><b>250-090-061</b> Outlet Connector SO0571—Schrader/Oxygen</p> <p><b>250-090-070</b> Outlet Connector HA0632—Hansen/Air</p>
<b>Laser Accessories</b>	<p><b>250-070-414</b> Flexible Laser Fiber Guide, 32 cm</p> <p><b>250-070-412</b> Flexible Laser Fiber Guide, 28 cm</p>

\*This does not replace the operative technique, please refer to the operative technique for all procedures. \*\*Not drawn to scale.